

tiMed®

V  
o  
l  
u  
m  
e  
  
5P



tiMed®

Since 2002

3858 Carson Street Suite 120 Torrance, CA 90503

Tel: 1(800) 805-3346, (310)-212-1232

info@ti-med.com


www.ti-med.com

INNOVATION by Demand



Toll Free: 800.805.3346    [www.ti-med.com](http://www.ti-med.com)

Volume 5P



*Proud Member of the American Orthotic & Prosthetic Association*



**T-200**  
Lamination Dummy  
for Shuttle  
Lock System



**T-300**  
Lamination Dummy  
for 3 Prong  
Rotating Adapter  
(SS-511 & A-511)



**T-100**  
Titanium Foot Bolt  
10mm, (22g)



**T-300-P**  
Small Lamination Dummy  
for 3 Prong  
Rotating Adapter  
(P-511)



**T-400**  
Lamination Dummy  
for ST-100



**F-100**  
4 Hole Lamination  
Block, Urethane



**KN-001**  
Extension Assist Cable  
For Weight Activated Stance  
Control Knees

Additional Components

Cusustomized Kits Available Upon Request



**BK-100 Kit    220 lbs / 100kg**

- AL-503 Aluminum Tube Clamp, 30mm (89g)
- AL-512 Aluminum Pylon with Integrated Receiver, 400mm, (324g)



**BK-200 Kit    250 lbs / 113kg**

- A-192 Titanium 4 Hole Connector w/ Pyramid (50g)
- A-503T Titanium Tube Clamp, 30mm (83g)
- A-512 Aluminum Pylon with Titanium Receiver, 400mm, (295g)
- A-509 HD Titanium SACH Foot Adapter with bolt (90g)




**BK-201 Kit    250 lbs / 113kg**

- A-503T    Titanium Tube Clamp, 30mm (83g)
- A-512    Aluminum Pylon with Titanium Receiver, 400mm, (295g)



**BK-300 Kit    300 lbs / 136kg**

- A-192 Titanium 4 Hole Connector with Pyramid (50g)
- A-503T Titanium Tube Clamp, 30mm (83g)
- A-612 Aluminum Pylon with Titanium Receiver, 400mm (306g)
- A-509 HD Titanium SACH Foot Adapter with bolt (90g)



**BK-301 Kit    300 lbs / 136kg**

- A-    Titanium Tube Clamp, 30mm (83g)
- 503    Aluminum Pylon with Titanium Receiver, 400mm (306g)
- A-
- 612



**BK-303 Kit    300 lbs / 136kg**

- A-510T Titanium 4 Ear Connector with Hole (50g)
- A-503 Titanium Tube Clamp, 30mm (83g)
- A-612 Aluminum Pylon with Titanium Receiver, 400mm (306g)



**BK-304 Kit    300 lbs / 136kg**

- A-192 Titanium 4 Hole Connector with Pyramid (50g)
- A-503 Titanium Tube Clamp, 30mm (83g)
- A-612 Aluminum Pylon with Titanium Receiver, 400mm (306g)



**BK-350 Kit    350 lbs / 159kg**

- A-692 HD Titanium 4 Hole Connector without Pyramid Hole (56g)
- A-613 HD Titanium Heavy Duty Tube Clamp, 30mm (95g)
- A-200 HD 30mm Carbon Tube, 300mm (148g)
- A-509 HD Titanium SACH Foot Adapter with bolt (95g)



**KN-400P**  
Aluminum 4Bar  
Pneumatic Knee  
719g  
Rated to:  
220 lbs (100kg)




**KN-400M**  
Aluminum  
4 Bar Knee  
660g  
Rated to:  
220 lbs (100kg)



**KN-200C**  
Weight Activated  
Stance Control Knee  
Stainless Steel  
415g  
Rated to:  
220 lbs (100kg)

\*Extension assist kit included



**PK-400**  
Aluminum Pediatric  
4 Bar Knee  
176g  
Rated to:  
120 lbs (55kg)



**A-192**  
4Hole Connector  
with Pyramid  
59g  
Rated to:  
300 lbs (136kg)



**A-193**  
4Hole Connector  
with Pyramid  
Receiver  
63g  
Rated to:  
300 lbs (136kg)



**A-292**  
4Hole Connector  
with 8mm Diagonal  
Offset Pyramid  
71g  
Rated to:  
300 lbs (136kg)



**A-492**  
4Hole Connector  
with 6.5mm Axial  
Offset Pyramid  
70g  
Rated to:  
300 lbs (136kg)



**A-692 HD**  
4Hole Connector  
without  
Pyramid Hole  
56g  
Rated to:  
350 lbs (159kg)



**A-502**  
4 Hole  
Rotating Base  
39g  
Rated to:  
300 lbs (136kg)



**A-401**  
Double Ended  
Adapter, 32mm  
86g  
Rated to:  
300 lbs (136kg)



**A-402**  
Double Ended  
Adapter, 45mm  
99g  
Rated to:  
300 lbs (136kg)



**A-403**  
Double Ended  
Adapter, 60mm  
104g  
Rated to:  
300 lbs (136kg)



**A-404**  
Double Ended  
Adapter, 75mm  
116g  
Rated to:  
300 lbs (136kg)



**A-405**  
30mmTube  
with Pyramid  
Receiver  
123g  
Rated to:  
300 lbs (136kg)



**A-505**  
Rotating Pyramid  
52g  
Rated to:  
300 lbs (136kg)



**A-506**  
Rotating Pyramid  
Receiver 50g  
Rated To:  
300 lbs (136kg)



**A-507**  
Rotating Pyramid  
with Hole  
39g  
Rated to:  
300 lbs (136kg)



**A-509 HD**  
SACH FootAdapter  
with M10 Bolt  
90g  
Rated To:  
350 lbs (159kg)



**A-510**  
4Ear Connector  
with Hole  
50g  
Rated To:  
300 lbs (136kg)  
LaminationDummy Included



**A-525**  
4Hole Rotating Base  
with Pyramid  
98g  
Rated To:  
300 lbs (136kg)



**A-526**  
4Hole Rotating Base  
with Pyramid  
Receiver  
94g  
Rated To:  
300 lbs (136kg)



**A-609**  
SACH Foot Adapter  
without Flange  
with M10 Bolt  
85g  
Rated To:  
300 lbs (136kg)



**A-610 HD**  
4Ear Connector  
55g  
Rated To:  
350 lbs (159kg)  
LaminationDummy Included



# BK-500 Kit

754g  
Rated to: 500 lbs (227kg)

- Includes:**  
EH-610 XHD 4 Ear Connector, (156g)  
A-500 XHD 34mm Carbon Tube, (236g)  
EH-503 XHD 34mm Tube Clamp, (181g)

To compliment the BK-500 kit,  
Kingsley's HD 500 foot incorporates  
TiMed's extra heavy duty SACH foot  
adapter.

HD 500



EH-610 XHD 4 Ear Connector,  
(156g)




**EH-692**  
ExtraHeavy Duty  
Titanium 4 Hole  
Connector without  
Pyramid Hole  
227kg / 500 lbs



EH-503 XHD 34mm Tube Clamp,  
(181g)  
with Knurling Patent Pending



A-500 XHD 34mm Carbon  
Tube,  
(236g)



**EH-405XHD**  
Titanium Extra  
Heavy Duty Tube  
with Pyramid Receiver  
227kg / 500 lbs



**A-210**

Double Ended  
Pyramid Adapter  
78g  
Rated to:  
300 lbs (136kg)



**A-511-4**

Flexible  
4 Ear Connector  
55g  
Rated To: 300 lbs (136kg)  
Patent 7,722,679 B2



**A-503**

Tube Clamp  
30mm  
83g  
Rated To:  
300 lbs (136kg)  
with Knurling Patent Pending



**A-415**

Rotating  
Pyramid Receiver  
Adjustable Length  
164g  
Rated to:  
300 lbs (136kg)



**A-515-3**

3Prong Stainless Steel  
Rotating Adapter  
with Titanium  
Pyramid  
160g  
Rated To:  
300 lbs (136kg)



**A-503T**

Tube Clamp  
30mm  
83g  
Rated To:  
300 lbs (136kg)  
with Knurling Patent Pending



**A-425**

Rotating Pyramid  
Adjustable Length  
137g  
Rated to:  
300 lbs (136kg)



**A-516-3**

3Prong Stainless Steel  
Rotating Adapter  
with Titanium  
Pyramid Receiver  
160g  
Rated To:  
300 lbs (136kg)



**A-504**

Tube Clamp  
with Pyramid  
30mm  
71g  
Rated To:  
300 lbs (136kg)  
with Knurling Patent Pending



**A-605**

Titanium Internal  
Threaded Adapter with  
Pyramid  
52g  
Rated To:  
300 lbs / 136kg



**A-515-4**

4Prong Stainless Steel  
Rotating Adapter  
with Titanium Pyramid  
160g  
Rated To:  
300 lbs (136kg)



**A-613 HD**

Heavy Duty  
Tube Clamp  
95g  
Rated To:  
300 lbs (136kg)  
with Knurling Patent Pending



**A-606**

Titanium Internal  
Threaded Adapter with  
Pyramid Receiver  
52g  
Rated To:  
300 lbs / 136kg



**A-516-4**

4Prong Stainless Steel  
Rotating Adapter  
with Titanium  
Pyramid Receiver  
160g  
Rated To:  
300 lbs (136kg)



**A-555**

20Degree Tube Clamp Adapter  
Titanium  
105  
Rated To:  
300 lbs (136kg)  
with Knurling Patent Pending



**A-30-25**

Titanium Adapter  
30mm to 25mm  
32g  
Rated to:  
300 lbs (136kg)



**A-535**

Flexible 4 Ear Connector  
with Titanium  
Rotating Pyramid  
109g  
300 lbs (136kg)



**A-565**

Ten Degree Tube Clamp Adapter  
Titanium  
89g  
300 lbs (136kg)  
with Knurling Patent Pending



**A-511-3**

Flexible  
3 Ear Connector  
61g  
Rated To: 300 lbs (136kg)  
Patent 7,722,679 B2



**A-536**

Flexible 4 Ear Connector  
with Titanium  
Rotating Pyramid Receiver  
109g  
300 lbs (136kg)



**A-805**

5mm Offset  
Tube Clamp, 30mm  
89g  
Rated To:  
300 lbs (136kg)  
with Knurling Patent Pending



Stainless Steel

**SS-401**  
Double Ended  
Adapter, 32mm  
117g  
Rated to:  
275 lbs (125kg)



**SS-402**  
Double Ended  
Adapter, 45mm  
144g  
Rated to:  
275 lbs (125kg)



**SS-403**  
Double Ended  
Adapter, 60mm  
171g  
Rated to:  
275 lbs (125kg)



**SS-404**  
Double Ended  
Adapter, 75mm  
198g  
Rated to:  
275 lbs (125kg)



**SS-192**  
4Hole Connector  
with Pyramid  
106g  
Rated to:  
275 lbs (125kg)



**SS-193**  
4Hole Connector  
with Pyramid Receiver  
108g  
Rated to:  
275 lbs (125kg)



**SS-506**  
Rotating  
Pyramid Receiver  
69g  
Rated to:  
275 lbs (125kg)



**SS-503**  
TubeClamp  
30mm  
130g  
Rated to:  
275 lbs (125kg)  
with Knurling Patent Pending



**SS-805**  
5mm Offset  
Tube Clamp, 30mm  
139g  
Rated to:  
275 lbs (125kg)  
with Knurling Patent Pending



**SS-509**  
SACH FootAdapter  
with M10 bolt  
113g  
Rated to:  
275 lbs (125kg)S



**SS-510**  
4Ear Connector  
97g  
Rated to:  
275 lbs (125kg)  
LaminationDummy Included



**SS-510**  
4Ear Connector  
98g  
Rated to:  
275 lbs (125kg)  
LaminationDummy Included



**A-620**  
Threaded4 Hole  
Laminating Ring  
61g  
Rated to:  
300 lbs (136kg)



**AL-512**  
Aluminum Pylon  
with Integrated Receiver  
400mm  
324g  
Rated to:  
220 lbs (100kg)



**A-712**  
Aluminum Pylon  
with Titanium Receiver  
400mm  
289g  
Rated to:  
250 lbs (113kg)  
with Knurling Patent Pending



**SS-512**  
Aluminum Pylon  
with Stainless Steel  
Receiver, 400mm  
325g  
Rated to:  
250 lbs (113kg)  
with Knurling Patent Pending



**A-512**  
Aluminum Pylon  
with Titanium Receiver  
400mm  
295g  
Rated to:  
250 lbs (113kg)  
with Knurling Patent Pending



**A-612**  
Aluminum Pylon  
with Titanium Receiver  
400mm  
306g  
Rated to:  
300 lbs (136kg)  
with Knurling Patent Pending



**A-622**  
Aluminum Pylon  
with Titanium Receiver  
250mm  
306g  
Rated to:  
300 lbs (136kg)  
with Knurling Patent Pending



**A-300**  
36 Inch 30mm  
Aluminum Tube  
526g  
Rated to:  
250 lbs (113kg)




**A-100**  
30mm  
Aluminum Tube  
236g  
Rated to:  
300 lbs (136kg)




**A-200 HD**  
30mm  
Carbon Fiber Tube  
148g  
Rated to:  
350 lbs (159kg)



**A-500 XHD**  
34mm  
Carbon Fiber Tube  
236g  
Rated to:  
500 lbs (227kg)



**A-400A**  
Aluminum Tube  
25mm  
245g  
Rated to:  
176 lbs (80kg)



**A-400C**  
Carbon Fiber  
Tube, 25mm  
103g  
Rated to:  
176 lbs (80kg)




**A-400B**  
Aluminum Tube  
22mm  
105g  
Rated to:  
99 lbs (45kg)





**A-422C**  
Carbon Fiber  
Tube, 22mm  
Rated to:  
150 lbs (80kg)



Pylons



22mm Components



25mm Components



**AL-192**  
4Hole Connector  
with Pyramid  
63g  
Rated to:  
220 lbs (100kg)



**AL-510**  
4Ear Connector  
64g  
Rated to:  
220 lbs (100kg)  
Lamination Dummy Included



**AL-702**  
Aluminum  
4 Ear Rotating  
Connector Base  
Rated to:  
220 lbs (100kg)



**AL-503**  
TubeClamp  
Adapter  
30mm  
89g  
Rated to:  
220 lbs (100kg)  
with Knurling Patent Pending



**ST-100**  
360° Sliding/Rotatable  
Pyramid Adapter  
170g  
Rated to:  
220 lbs (100kg)  
Lamination  
Dummy Included



**AL-726**  
Aluminum 4 Ear  
Rotating Base  
with Al Pyramid  
Receiver  
Rated to 200 lbs/100kg



**AL-512**  
Aluminum Pylon  
with Integrated Receiver  
310g  
Rated to:  
220 lbs (100kg)



**AL-506**  
Titanium Rotating  
Pyramid Receiver  
30mm  
38g  
Rated to:  
220 lbs (100kg)



**AL-620**  
Aluminum Threaded  
4 Hole Lamination  
Ring  
Rated to:  
220 lbs/100kg



**AL-509**  
SACH Foot  
Adapter  
with M10 bolt  
108g  
Rated to:  
220 lbs (100kg)



Aluminum

Flowchart

22mmComponents

A-30-25

Titanium Adapter  
30mm to 25mm  
32g  
Rated to:  
300 lbs (136kg)



A-25-30

Titanium Adapter  
25mm to 30mm  
49g  
Rated to:  
176 lbs (80kg)



A-400B

Aluminum Tube  
22mm  
105g  
Rated to:  
99 lbs (45kg)



A-422C

Carbon Fiber  
Tube, 22mm  
Rated to:  
176 lbs (80kg)



P-192

4Hole Connector  
with Pyramid  
59g  
Rated to:  
176 lbs (80kg)



P-193

4Hole Connector  
with Pyramid  
Receiver  
63g  
Rated to:  
176 lbs (80kg)



P-203-A

TitaniumTube Clamp  
22mm Pyramid  
Receiver  
49g  
Rated to:150 lbs / 68kg  
with Knurling Patent Pending



P-203B

AluminumTube  
Clamp  
22mm  
49g  
Rated to:  
99 lbs (45kg)



with Knurling Patent Pending

P-401

SmallDouble Ended  
Adapter, 32mm  
86g  
Rated to:  
176 lbs (80kg)



P-402

SmallDouble Ended  
Adapter, 45mm  
80g  
Rated to:  
176 lbs (80kg)



P-403

SmallDouble Ended  
Adapter, 60mm  
84g  
Rated to:  
176 lbs (80kg)



P-404

SmallDouble Ended  
Adapter, 75mm  
86g  
Rated to:  
176 lbs (80kg)



P-422

25mm Titanium  
Tube with  
Pyramid Receiver  
72g  
Rated to:  
176 lbs (80kg)



P-502

Small4 Hole  
Rotating Base  
39g  
Rated to:  
176 lbs (80kg)



P-505

Small Titanium  
Rotating Pyramid  
26g  
Rated to:  
176 lbs (80kg)



P-506

Small Titanium  
Rotating Pyramid  
Receiver  
38g  
Rated To:  
176 lbs (80kg)



P-509

Small Titanium  
SACH Foot Adapter  
with M8 Bolt  
50g  
Rated To:  
176 lbs (80kg)



P-510

Small4Ear  
Titanium  
Connector  
34g  
Rated to:  
176 lbs (80kg)



P-511-3

Small Titanium  
Flexible 3 Ear  
Connector  
45g  
176 lbs (80kg)  
Patent7,722,679B2



P-523

22mm Titanium Tube  
Clamp with  
standard 30mm  
Pyramid Receiver  
65g  
Rated to: 150 lbs / 68kg  
with Knurling Patent Pending



PK-400

Aluminum Pediatric  
4 Bar Knee  
176g  
Rated to:  
120 lbs (55kg)



25mmComponents

A-30-25

Titanium Adapter  
30mm to 25mm  
32g  
Rated to:  
300 lbs (136kg)



A-25-30

Titanium Adapter  
25mm to 30mm  
49g  
Rated to:  
176 lbs (80kg)



A-400A

Aluminum Tube  
25mm  
245g  
Rated to:  
176 lbs (80kg)



A-400C

Carbon Fiber  
Tube, 25mm  
Rated to:  
176 lbs (80kg)



P-192

4Hole Connector  
with Pyramid  
50g  
Rated to:  
176 lbs (80kg)



P-193

4Hole Connector  
with Pyramid  
Receiver  
51g  
Rated to:  
176 lbs (80kg)



P-401

SmallDouble Ended  
Adapter, 32mm  
86g  
Rated to:  
176 lbs (80kg)



P-402

SmallDouble Ended  
Adapter, 45mm  
80g  
Rated to:  
176 lbs (80kg)



P-403

SmallDouble Ended  
Adapter, 60mm  
84g  
Rated to:  
176 lbs (80kg)



P-404

SmallDouble Ended  
Adapter, 75mm  
86g  
Rated to:  
176 lbs (80kg)



P-405

25mm Titanium  
Tube with  
Pyramid Receiver  
72g  
Rated to:  
176 lbs (80kg)



P-502

Small4 Hole  
Rotating Base  
39g  
Rated to:  
176 lbs (80kg)



P-503

Titanium Tube  
Clamp, 25mm  
48g  
176 lbs / 80kg  
with Knurling Patent



P-505

Small Titanium  
Rotating Pyramid  
26g  
Rated to:  
176 lbs (80kg)



P-506

Small Titanium  
Rotating Pyramid  
Receiver  
38g  
Rated To:  
176 lbs (80kg)



P-509

Small Titanium SACH  
Foot Adapter  
with M8 Bolt  
50g  
Rated To:  
176 lbs (80kg)



P-510

Small4Ear  
Titanium  
Connector  
34g  
Rated to:  
176 lbs (80kg)



P-511-3

Small Titanium  
Flexible 3 Ear  
Connector  
45g  
176 lbs (80kg)  
PatentApprovedbyU.S.



P-513

25mm Titanium  
Tube Clamp, with  
standard 30mm  
Pyramid Receiver  
72g  
176 lbs / 80kg  
with Knurling Patent Pending

